

	Batterie	Japan Code	Kapazität (Ah)	Max. Länge (mm)	Max Breite (mm)	Max Kastenhöhe (mm)	Schaltung Schema	Merkmale
--	----------	------------	----------------	-----------------	-----------------	---------------------	------------------	----------

6 Volt

1		6N2-2A-1	2	70	47	96		MK
2	MI00211	6N2-2A-4	2	70	47	96		MK
3	MI00214	6N2A-2C-3	2	70	47	106		MK
4		6N2-2D	2	70	47	103		MK
5	MI00411	6N4-2A	4	71	71	96		MK
6		6N4-2A-3	4	71	71	96		MK
7		6N4-2A-4	4	71	71	96		MK
8		6N4-2A-5	4	71	71	96		MK
9	MI00412	6N4B-2A-3	4	100	47	96		MK
10	MI00413	6N4A-4D	4	58	62	131		MK
11	MI00414	6N4-2A-7	4	71	71	96		MK
12	MI00415	6N4C-1B	4	71	71	105		MK
13		6N4B-2A	4	102	48	96		MK
14		6N6-1B	6	99	57	121		MK
15	MI00611	6N6-3B	6	99	57	107	50	
16		6N6-3B-1	6	99	57	111	50	
17		6N6-1D	6	99	57	111	50	MK
18	MI00613	6N6-1D-2	6	99	57	107	50	MK
19	MI00714	B39-6	7	126	48	126	20	
20	MI00811	B49-6	8	91	83	161	21	
21	MI00800	6YB8L-B	8	121	71	95	50	
22	MI00812	3MO1	8	91	83	161	20	HGI
23		6N11-2D	11	150	70	101	21	
24	M01214	6N11A-1B	11	122	62	132	20	
25		B54-6	12	156	57	116	21	
26	MI01225	6N12A-2D (B54-6A)	12	156	57	116	21	
27		B38-6A	13	119	83	161	20	

12 Volt

28		12N5-3B	5	121	61	131	50	
29	MI50611	12N5,5-3B	5,5	138	61	131	50	
30	MI50613	12N5,5-4B	5,5	138	61	131	51	
31		12N5,5-4A	5,5	138	61	131	51	
32	MI50612	12N5,5A-3B	5,5	103	90	114	50	
33		12N7-3B	7	137	76	135	50	
34		12N7-4A	7	137	76	135	51	
35		12N7B-3A	7	151	61	131	50	
36		12N7-4B	7	137	76	135	51	
37		12N9-3A	9	138	77	141	50	
38		12N9-3B	9	138	77	141	50	
39		12N9-4B-1	9	138	77	141	51	
40		12N10-3B	10	136	91	146	50	
41		12N11-3A-1	11	136	91	156	50	
42		12N12A-4A-1	12	136	82	162	51	
43		12N14-3A	14	136	91	168	50	
44		12N18-3	18	206	91	164	50	
45	MI52410	12N24-3	24	186	125	176	50	
46	MI52420	12N24-4	24	186	125	176	51	

	Batterie	Japan Code	Kapazität (Ah)	Max. Länge (mm)	Max Breite (mm)	Max Kastenhöhe (mm)	Schaltung Schema	Merkmale
--	----------	------------	----------------	-----------------	-----------------	---------------------	------------------	----------

12 Volt Hochleistungs - Batterien
CB ist wie YB

1	MI50311	CB2,5L-C-2	2,5	81	71	106	50	
2	MI50312	CB3L-A	3	99	57	111	50	
3	MI50313	CB3L-B	3	99	57	111	50	
4	MI50411	CB4L-B	4	121	71	93	50	
5	MI50512	CB5L-B	5	121	61	131	50	
6	MI50712	CB7L-B	8	137	76	134	50	
7	MI50811	CB7C-A	8	130	90	114	50	
8	MI50813	CB7-A	8	137	76	134	51	
9	MI50914	CB9-B	9	137	76	140	51	
10	MI50915	CB9L-B	9	137	76	140	50	
11	MI50916	CB9L-A2	9	137	76	140	50	
12	MI51112	CB10L-A2	11	136	91	146	50	
13	MI51113	CB10L-B2	11	136	91	146	50	
14	MI51211	CB12A-A	12	135	81	161	51	
15	MI51212	CB12B-B2	12	161	91	132	51	
16	MI51213	CB12AL-A2	12	135	81	161	50	
17	MI51215	CB12A-B	12	135	81	161	51	
18	MI51411	CB14L-A2	14	135	91	167	50	
19	MI51412	CB14-A2	14	135	91	167	51	
20	MI51413	CB14L-B2	14	135	91	167	50	
21	MI51414	CB14-B2	14	135	91	167	51	
22		YB14L-A1	14	136	91	168	50	
23		SYB14L-A2	14	136	91	168	50	MS
24		SYB14L-B2	14	136	91	168	50	MS
25	MI51615	CB16B-A	16	162	92	162	51	
26	MI51616	CB16AL-A2	16	205	71	164	50	
27	MI51617	HCB16A-A	16	151	91	182	51	
28	MI51814	BMW ohne ABS	18	186	81	170	50	
29	MI51815	CB18L-A	18	182	92	164	50	
30	MI51816	CB18-A	18	182	92	164	51	
31		YB16CL-B	19	176	101	175	50	
32	MI51911	CB16L-B	19	176	101	156	50	
33	MI51912	CB16-B	19	176	101	156	51	
34	M51915	YB16HL-A-CX	19	175	100	155	50	
35	MI52012	C50-N18L-A	20	206	91	164	50	
36		Y50-N18L-A3	20	206	91	166	50	
37		SY50-N18L-AT	20	205	90	162	50	MS
38	34A19RT	34A19RT (S)	24	185	127	184	51	Rundpole
39	S53030	53030	30	187	128	165	50	mG
40	S53034	53034	30	187	128	165	51	mG
41		YB30L-B	30	168	132	176	50	
42	MI52810	CHD4-12 (CHD-12)	28	207	132	167	51	

12 Volt AGM Motorradbatterien

	Batterie	Japan Code	Kapazität (Ah)	Max. Länge (mm)	Max Breite (mm)	Max Kastenhöhe (mm)	Schaltung Schema	Merkmale
1	MI50420	YT4B-BS	2,3	114	39	86	60	Steckkontakt
2	MI50314	YTX4L-BS	3	114	71	86	50	
3	MI50412	YTX5L-BS	4	114	71	106	50	
4	MI50614	YTX7L-BS	6	114	71	131	50	
5	MI50615	YTX7A-BS	6	150	87	94	51	
6	MI50812	YTX9-BS	8	150	87	105	51	
7	MI51012	YTX12-BS	10	150	87	132	51	
8	MI51013	YTX12A-BS	10	150	87	105	51	
9	MI51214	YTX14-BS	12	150	87	147	51	
10	MI81401	YTX14AH-BS	12	134	89	166	51	
11	EP 13	Hawker EnerSys	13	175	83	130	50	M6 Gewinde
12	MI81500	YTX15L-BS	13	175	87	130	50	
13	MI81501	YTX15-BS	13	175	87	130	51	
14	MI81600	YTX16-BS	14	150	87	161	51	
15	MI81601	YTX16-BS1	14	150	87	161	51	
16	MI82000	YTX20L-BS	18	175	87	155	50	
17	MI82001	YTX20-BS	18	175	87	155	51	
18	MI82002	YTX20CH-BS	18	150	87	161	51	
19	MI82003	YTX20HL-BS	20	175	87	155	50	
20	MI82004	YTX20H-BS	20	175	87	155	51	
21	MI82400	YTX24HL-BS	21	205	87	162	50	
22	MI83000	YIX30L-BS	30	166	126	175	50	
23	MI85000	YTX50-BS	21	205	87	161	51	
24	MI85001	YTX50L-BS	21	205	87	161	50	

HVT Motorradbatterien (spez. für Harley)

1	MIHVT-01	65989-97A	20	176	87,5	155	50	YTX20L-BS
2	MIHVT-02	66010-97A	30	169	131	174	50	YIX30L-BS
3	MIHVT-03	65948-04	14	150	87	145	50	YTX14L-BS
4	MIHVT-04	65989-90B	22	175	100	157	50	CB16L-B
5	MIHVT-05	65991-82B	22	175	100	157	51	CB16-B
6	MIHVT-06	66010-82B	23	205	90	163	50	YTX24HL-BS
7	MIHVT-07	66007-84	30	205	130	165	51	CHD4-12
8	MIHVT-08	65948-00	14	150	87	145	51	YTX14-BS
9	MIHVT-09	66006-70	8	137	76	134	51	YB7-A
10	MIHVT-10	66006-29F	6 Volt 22 Ah	115	100	214	51	CB2-6
11	MISLA12-20	Gel 519 13	20	180	78	172	50	519 13
12	MI001	Poladaptersatz für Frontanschluss						

12 Volt

GEL Motorradbatterien

1	MIGEL12-4A-BS	YTR4A-BS	2,5	113	48	85	Steckkontakt	
2	MIGEL12-4L-BS	YTX4L-BS	3	114	69	87	50	
3	MIGEL12-5L-BS	YTX5L-BS	4	114	69	109	50	
4	MIGEL12-5ZS	YTZ5-S	4	113	70	85	50	
5	MIGEL12-4L-B	YB4L-B	5	120	71	92	50	
6	MIGEL12-6ZS	YTZ6-S	5	113	70	105	50	
7	MIGEL12-7A-BS	YTX7A-BS	6	151	87	94	51	

	Batterie	Japan Code	Kapazität (Ah)	Max. Länge (mm)	Max Breite (mm)	Max Kastenhöhe (mm)	Schaltung Schema	Merkmale
8	MIGEL12-7B-4	YT7B-4	6	150	65	92	51	
9	MIGEL12-7L-BS	YTX7L-BS	6	114	69	135	50	
10	MIGEL12-7Z-S	YTZ7-S	6	113	70	105	50	
11	MIGEL12-9B-4	YT9B-4	8	150	65	102	51	
12	MIGEL12-9-BS	YTX9-BS	8	151	87	107	51	
13	MIGEL12-10B-4	YTZ10-S	8,5	150	87	96	51	
14	MIGEL12-9-4B-1	12N9-4B-1	9	136	76	139	51	
15	MIGEL12-12A-BS	YTX12A-BS	10	150	87	106	51	
16	MIGEL12-12B-4	YT12B-4	10	150	69	130	51	
17	MIGEL12-12-BS	YTX12-BS	10	151	87	133	51	
18	MIGEL12-12Z-S	YTZ12-S	11	150	87	109	51	
19	MIGEL12-14ZS	YTZ14-S	11,5	150	87	110	51	
20	MIGEL12-12A-4A1	12N12A-4A-1	12	134	80	161	51	
21	MIGEL12-12AL-A	YB12AL-A	12	134	80	161	50	
22	MIGEL12-14B-4	YT14B-4	12	150	69	145	51	
23	MIGEL12-14-BS	YTX14-BS	12	151	87	145	51	
24	MIGEL12-14L-A2	YB14L-A2	14	134	89	160	50	
25	MIGEL12-16AL-A2	YB16AL-A2	16	205	70	162	50	
26	MIGEL12-20-BS	YTX20-BS	18	175	87	155	51	
27	MIGEL12-20L-BS	YTX20L-BS	18	175	87	155	50	
28	MIGEL12-16-B	YB16-B	19	175	100	156	51	
29	MIGEL12-16L-B	YB16L-B	19	175	100	156	50	
30	MIGEL12-N50-18L-A	Y50-N18L-A	20	205	90	160	50	
31	GEL51913	BMW mit ABS	21	183	78	171	50	
32	MIGEL53030	53030	30	178	124	166	50	
33	MIGEL53034	53034	30	178	124	166	51	

Motorradbatterien Lithium (LiFePO4) 12,8Volt

1	MILI - 01	LTM7L	2	107	56	85	50	
2	MILI - 02	LTM9	3	134	65	92	51	
3	MILI - 03	LTM14-B	4	134	65	92	51	
4	MILI - 04	LTM14	4	148	86	105	51	
5	MILI - 05	LTM18	5	148	86	105	51	
6	MILI - 06	LTM21L	6	148	86	105	50	
7	MILI - 07	LTM30L	8	165	86	130	50	
8	MILI - 08	HJTX5L-FP	1,6	113	70	85	50	
9	MILI - 09	HJTX9-FP	3	150	87	105	51	
10	MILI - 10	HJTX14H-FP	4	150	87	93	51	
11	MILI - 11	LFP01	2	92	52	90	50	